

Questions 1-5 are 4 points each.

ANSWERS
specification

1. What is the first step in writing a program: a) design b) specification c) test d) code? **2**
2. What value is assigned to x? `int x = int(double(17)/6 + 1/2);` **2**
3. What does this print? `cout << string(8, 'x').substr(2, 3);` **xxx**
4. What does this print? `cout << char('d' + 'B' - 'b');` **D**
5. Suppose p is a `vector<int>::iterator`. What statement assigns 1 to the object to which p points?

ANSWER: *p = 1;

6. Suppose v is a `vector<int>` containing some numbers in the range 1 to 100. Write code to print the largest odd number in v, or print "none" if v does not contain any such number (20 pts).

```
// ANSWER
int largest = 0;
for (int i=0; i<int(v.size()); ++i)
    if (v[i] > largest && v[i] % 2 == 1)
        largest = v[i];
if (largest > 0)
    cout << largest << endl;
else
    cout << "none\n";
```

7. Write a function `f(s)` that takes a string `s` and returns `false` if `s` contains at least one digit and `true` otherwise (20 pts).

```
// ANSWER
bool f(string s)
{
    for (int i=0; i<int(s.size()); ++i)
        if (isdigit(s[i]))
            return false;
    return true;
}
```

8. Write class `Employee` so that it works as in the example below (20 pts).

```
Employee x(60000, 25, "Joe"), y(30000, 32, "Sam");
x.print(); // prints "Joe's age is 25 and salary is 60000"
y.print(); // prints "Sam's age is 32 and salary is 30000"
```

```
// ANSWER
class Employee
{
public:
    Employee(int s, int a, string n);
    void print();
private:
    string name;
    int age, salary;
};
```

```

Employee::Employee(int s, int a, string n)
{
    name = n;
    age = a;
    salary = s;
}

void Employee::print()
{
    cout << name << "'s age is " << age << " and salary is " << salary
        << endl;
}

```

9. On the back, write a program to read in words (separated by white space) up to EOF, then print the first word starting with 'a', for example (20 pts)

```

this is another test
^Z
another

```

```

// ANSWER
#include <iostream>
#include <string>
using namespace std;

int main()
{
    string word;
    while (cin >> word)
    {
        if (word[0] == 'a')
        {
            cout << word << endl;
            break;
        }
    }
    return 0;
}

```